

ROMANIA

COMISIA NATIONALA DE OMOLOGARE
A PRODUSELOR DE PROTECTIE A PLANTELOR

ROMANIA

NATIONAL COMMISSION FOR REGISTRATION
OF PLANT PROTECTION PRODUCTS

CERTIFICAT DE OMOLOGARE
a produselor de protectie a plantelor
REGISTRATIUN CERTIFICATE
of plant protection products

Nr/No **1847** din/of **29.09.1998**

AVAND IN VEDERE CEREREA DE OMOLOGARE DEPUISA DE **BASF SE, GERMANIA**
TAKING INTO ACCOUNT REGISTRATION APPLICATION PUT UP BY

INREGISTRATA CU NR
RECORDED UNDER NO

DIN
DATED

INSOTITA DE DOCUMENTATIA
ACCOMPANIED BY THE NECESSARY

NECESARA, CONFORM DISPOZITIILOR LEGALE,
DOCUMENTATION, DRAWN UP IN ACCORDANCE WITH THE LEGAL PROVISIONS,

COMISIA NATIONALA DE OMOLOGARE A PRODUSELOR DE PROTECTIE A PLANTELOR, IN
NATIONAL COMMISSION FOR REGISTRATION OF PLANT PROTECTION PRODUCTS,

SEDINTA DIN 29.09.1998 A AUTORIZAT FOLOSIREA IN AGRICULTURA SI SILVICULTURA
DURING THE MEETING HELD ON AUTHORIZED THE USAGE IN AGRICULTURE AND SILVICULTURE

A PRODUSULUI DE PROTECTIE A PLANTELOR DESCRIS MAI JOS:
OF THE PLANT PROTECTION PRODUCT DESCRIBED AS FOLLOWS:

DENUMIREA COMERCIALA
TRADE NAME

TANGO SUPER

SUBSTANTA ACTIVA
ACTIVE INGREDIENT

250 g/l fenpropimorf + 84 g/l epoxiconazol

FABRICANT/ PRODUCATOR
PRODUCER/MANUFACTURER

BASF, GERMANIA

CARACTERISTICI FIZICO-CHIMICE
(ASPECT, DATE ANALITICE)
PHYSICAL-CHEMICAL PROPERTIES
(APPEARANCE, ANALYTICAL DATA)

**suspoemulsie fina, omogena, mobila, cu
tendinta de depunere in timp dar cu o buna
capacitate de revenire in sistem omogen,
de culoare alba**

GRUPA DE TOXICITATE
TOXICOLOGY GROUP

T - Pericol (*)
Dangerous

INDICATIE DE PERICOL
INDICATION OF DANGER

N - Periculos pentru mediu
Dangerous for the environment



FRAZE DE RISC
RISK PHRASES

- R20 – Nociv prin inhalare**
Harmful by inhalation
- R40 – Posibil efect cancerigen - dovezi insuficiente**
Possible carcinogenic effect-insufficient evidence
- R51/53 – Toxic pentru organismele acvatice. Poate provoca efecte adverse pe termen lung asupra mediului acvatic**
Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment
- R61 – Poate provoca efecte adverse asupra copilului in timpul sarcinii**
Can cause adverse effects on the child during pregnancy
- R62 – Risc posibil de afectare a fertilitatii**
Possible risk of impaired fertility

FRAZE DE PERICOL
DANGER PHRASES

- H332 – Nociv in caz de inhalare**
Harmful if inhaled
- H351 – Susceptibil de a provoca cancer**
Susceptible to cause cancer
- H360Df – Poate dauna fatului. Susceptibil de a dauna fertilitatii**
May harm the fetus. Likely to damage fertility
- H411 - Toxic pentru organismele acvatice, poate provoca efecte adverse pe termen lung asupra mediului acvatic**
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- EUH401 – Pentru evitarea riscului pentru oameni si mediu, respectati instructiunile de utilizare**
To avoid risks to human and the environment, comply with the instructions for use

FRAZE DE SIGURANTA
SAFETY PHRASES

- S1/2 – Păstrați incuiat și nu lasați la îndemâna copiilor**
Keep locked and out of reach of children do not leave
- S13 – A se pastra departe de hrana, bauturi si hrana pentru animale**
Keep away from food, drink and animal foodstuffs
- S20/21 – Nu mancati, nu beti si nu fumati in timpul folosirii**
When using do not eat, drink or smoke
- S36/37 – Purtati echipament de protectie si manusi corespunzatoare**
Wear suitable protective clothing and gloves
- S45 – In caz de accident sau simptome de boala, consultati imediat medicul (daca este posibil aratati eticheta).**
In case of accident or disease symptoms, seek medical advice immediately (if possible, and show label)
- S53 – A se evita expunerea - a se procura instructiuni speciale înainte de utilizare**
Avoid exposure-obtain special instructions themselves before use

FRAZE DE PREVENIRE
PREVENTION PHRASES

- P202 – A nu se manipula decât după ce au fost citite și înțelese toate măsurile de securitate**
Do not handle only after they have been read and understood all safety measures
- P260 – Nu respirati praf/fum/gaz/vapori/spray**
Do not breathe dust/fume/gas/mist/vapors/spray
- P 271 – Folositi produsul numai in aer liber sau intr-o zona bine ventilata**
Use the product only outdoors or in a well-ventilated area
- P 280 – Purtati manusi de protectie/haine de protectie/echipament de protectie a ochilor/protectie a fetei**
Wear protective gloves/ protective clothing/ equipment eye protection/ face protection
- P 312 – Sunati la un Centru de informare toxicologica sau la un doctor/medic daca nu va simtiti bine**
Please call the toxicological information center or a doctor/physician if you don't feel good
- P 304+340 – In caz de inhalare: Transportati victima la aer curat si mentineti-o in stare de repaus intr-o pozitie confortabila pentru respiratie**
In case of inhalation: Transported the victim to fresh air and keep it in the rest in a position comfortable for breathing
- P 308+311 - In caz de expunere sau posibila expunere: sunati la un centru de informare toxicologica sau la un medic**
In case of exposure or potential exposure: call to an toxicological information center or a doctor

FRAZE STANDARD PENTRU RISCURI SPECIALE
STANDARD PHRASES FOR SPECIAL RISKS



FRAZE STANDARD DE PRUDENTA SPECIALE
STANDARD PHRASES FOR SPECIAL PRECAUTIONS

Spe3 – Pentru protectia organismelor acvatice respectati o zona tampon de minim 15 m pana la apele de suprafata

To protect aquatic organisms respect an unsprayed buffer zone of 15 m to surface water bodies

MASURI DE IGIENA SI DE TEHNICA A SECURITATII MUNCII
HYGIENE AND SAFETY MEASURES

Scoateti imediat hainele contaminate, de asemenea lenjeria si pantofii. Daca apar stari de rau consultati un medic. Ambalajul, eticheta si/sau fisa de siguranta a produsului trebuie prezentate medicului. Dupa inhalare: repaus, aer proaspat, asistenta medicala.

Dupa contactul cu pielea: se spala foarte bine cu apa si sapun. In caz de iritatie cereti sfatul medicului.

Dupa contactul cu ochii: spalati imediat ochii afectati cel putin 15 minute sub curent de apa cu pleoapele deschise; consultati un oftalmolog. Dupa ingerare: clatiti imediat gura si apoi beti multa apa; solicitati ajutor medical.

Se va provoca vomă numai la recomandarea unui centru toxicologic sau a medicului. Nu se va induce niciodata vomitatul si nici nu se va administra nimic pe cale bucala, daca persoana accidentata este inconstienta sau se plange de crampe. Indicatii pentru medic: tratament simptomatic (decontaminare, functii vitale)

DOMENIU DE UTILIZARE
FIELD OF USE

FUNGICID
FUNGICIDE

MODUL DE FOLOSIRE OMOLOGAT (CULTURI, DOZE, AGENT DE DAUNARE)
REGISTERED MODE OF APPLICATION (CROPS, DOSAGE, DAMAGING AGENT)

GRAU :	<i>Erysiphe graminis, Septoria tritici, Puccinia recondita Fusarium spp., Helminthosporium tritici repens</i>	0,75 l/ha
ORZ DE: TOAMNA	<i>Erysiphe graminis, Pyrenophora teres Rhynchosporium secalis</i>	0,75 l/ha
SFECLA :	<i>Cercospora beticola, Erysiphe betae</i>	1,0 l/ha/tratament

* Conform Regulamentului nr. 944/2013/UE, noua clasificare intra in vigoare incepand cu data de 01.01.2015.

TIMP DE PAUZA
PRE – HARVESTING INTERVAL

TERMEN DE GARANTIE -
GUARANTEE PERIOD

ORICE MODIFICARE IN COMPOZITIA PRODUSULUI DE PROTECTIE A PLANTELOR VA FI COMUNICATA
ANY MODIFICATION IN THE COMPOSITION OF THE PLANT PROTECTION PRODUCT SHOULD BE COMMUNICATED

COMISIEI NATIONALE DE OMOLOGARE A PRODUSELOR DE PROTECTIE A PLANTELOR;
TO THE NATIONAL COMMISSION FOR REGISTRATION OF PLANT PROTECTION PRODUCTS;

MODIFICARILE IMPORTANTE FAC OBIECTUL UNEI NOI CERERI DE OMOLOGARE.
SIGNIFICANT CHANGES WILL BE SUBJECT TO A NEW REGISTRATION APPLICATION.

PREZENTUL CERTIFICAT DE OMOLOGARE ESTE VALABIL PANA LA DATA DE 29.09.2018
THIS REGISTRATION CERTIFICATE IS VALID UNTIL

PRESEDINTE
CHAIRMAN

Elena LEAOTA



ELIBERAT LA BUCUREȘTI
ISSUED IN BUCHAREST

DATA 06.10.2014
DATE