

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OMITE® 570 EW LIQUID MITICIDE

Product code : 400000000975

Details of the supplier of the safety data sheet

Company: Arysta LifeScience Australia Pty Ltd
c/o Level 3, 70 Hindmarsh Square
Adelaide SA
Australia
5000
Telephone : + 61 8 8112 0900

Prepared by sds.request@arysta.com

Further information for the safety data sheet :
sds.request@arysta.com

1.4 Emergency telephone number

Emergency telephone number: +61 2801 44558, ORICA : 1800 033 111 (24 hr Service)
For advice, contact a Poisons Information Centre (Phone: Australia 131 126 or New Zealand 0800 764 766) or a doctor at once.
For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : Miticide

Restrictions on use : Agriculture
For professional users only.
APVMA No: 63387

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Carcinogenicity : Category 2

GHS Label element

Hazard pictograms :



Signal word : Warning

Hazard statements : H227 Combustible liquid.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.
P281 Use personal protective equipment as required.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

plant.

Other hazards which do not result in classification

Hazardous substance
Dangerous goods
Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Miticide

Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
propargite	2312-35-8	>= 30 - < 60
ethane-1,2-diol	107-21-1	< 10

SECTION 4. FIRST AID MEASURES

- General advice : Call a physician or poison control centre immediately.
For advice, contact a Poisons Information Centre (Phone: Australia 131 126 or New Zealand 0800 764 766) or a doctor at once.
- If inhaled : Move to fresh air.
Obtain medical attention.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with warm water and soap.
If symptoms persist, call a physician.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If symptoms persist, call a physician.
- If swallowed : Do NOT induce vomiting.
Rinse mouth with water.
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : irritant effects
sensitising effects
Symptoms may be delayed.
Harmful if swallowed.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Suspected of causing cancer.
- Notes to physician : The first aid procedure should be established in consultation

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - large fires
Alcohol-resistant foam
(on small fires)
Carbon dioxide (CO₂)
Dry chemical
Water spray
- Unsuitable extinguishing media : Water spray jet
- Specific hazards during fire-fighting : No information available.
- Specific extinguishing methods : Prevent fire extinguishing water from contaminating surface water or the ground water system.
- Special protective equipment for firefighters : Complete suit protecting against chemicals
Full protective flameproof clothing
In the event of fire, wear self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
Avoid contact with skin and eyes.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
Do not allow uncontrolled discharge of product into the environment.
- Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Large spills should be collected mechanically (remove by pumping) for disposal.

In accordance with local and national regulations.
-

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Wash thoroughly after handling.
Avoid inhalation, ingestion and contact with skin and eyes.
Use only in area provided with appropriate exhaust ventilation.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
-

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethane-1,2-diol	107-21-1	TWA (particulate)	10 mg/m ³	AU OEL
Further information: Skin absorption				
		TWA (Vapour)	20 ppm 52 mg/m ³	AU OEL
Further information: Skin absorption				
		STEL (Vapour)	40 ppm 104 mg/m ³	AU OEL
Further information: Skin absorption				
		C	100 mg/m ³	ACGIH
		C (Aerosol only)	100 mg/m ³	ACGIH

Engineering measures : Effective exhaust ventilation system
Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Respirator with filter for organic vapour

Hand protection

Remarks : Impervious gloves

Eye protection : Safety glasses with side-shields

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : off-white

Odour : characteristic

Odour Threshold : No data available

pH : 5.5 - 7.5, 1 %

Melting point/range : Not applicable

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

Boiling point/boiling range : > 93 °C

Flash point : > 93 °C

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.1 g/cm³ (20 °C)

Solubility(ies)

 Water solubility : No data available

 Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : ca. 350 °C

Decomposition temperature : No data available

Viscosity

 Viscosity, dynamic : 600 - 1,200 mPa.s (25 °C)

 Viscosity, kinematic : No data available

Surface tension : 40.5 mN/m, ca. 25 °C

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Extremes of temperature and direct sunlight.
Contamination

Incompatible materials : Oxidizing agents
Bases
Acids

Hazardous decomposition products : Burning produces noxious and toxic fumes.

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

- Acute oral toxicity : LD50 (Rat): 1,700 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 2.176 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.
- Acute dermal toxicity : LD50 (Rabbit): > 4,000 mg/kg

Components:

propargite:

- Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg
Method: OECD Test Guideline 401
GLP: yes
- Acute inhalation toxicity : LC50 (Rat): 0.89 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Target Organs: Lungs
GLP: yes
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 4,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

ethane-1,2-diol:

- Acute oral toxicity : LD50 (Rat, female): 4,700 mg/kg
- Acute dermal toxicity : LD50 (Rabbit): 10,670 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit
Result: Skin irritation

Components:

propargite:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

Result: Irritating to skin.
GLP: yes

Serious eye damage/eye irritation

Product:

Species: Rabbit
Result: Irritating to eyes.

Components:

propargite:

Species: Rabbit
Result: Severe eye irritation
Assessment: Risk of serious damage to eyes.
Method: OECD Test Guideline 405
GLP: yes

Respiratory or skin sensitisation

Product:

Species: Guinea pig
Result: May cause sensitisation by skin contact.

Components:

propargite:

Test Type: Buehler Test
Exposure routes: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406
Result: Skin sensitisers
GLP: yes

Chronic toxicity

Germ cell mutagenicity

Product:

Germ cell mutagenicity - Assessment : Not classified due to lack of data.

Components:

propargite:

Genotoxicity in vitro : Species: Salmonella typhimurium
Concentration: 0-5 ul/plate

: Test Type: Chromosome aberration test in vitro
Species: Chinese hamster ovary cells
Concentration: 25-100 ug/ml & 50-200 ug/ml
Method: OECD Test Guideline 473
GLP: yes

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version: 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

- : Test Type: Unscheduled DNA synthesis (UDS)
Species: rat hepatocytes
Concentration: 0.0167-5000 ug/ml
GLP: yes
- : Test Type: In vitro mammalian cell gene mutation test
Species: Chinese hamster ovary cells
Concentration: 1.0-5.0 ug/ml
GLP: yes
- : Test Type: In Vitro mammalian Cell Gene Mutation Test
Species: Chinese hamster ovary cells
Concentration: 0.5-5.0 ug/ml
Result: negative
GLP: yes
- : Test Type: In Vitro mammalian Cell Gene Mutation Test
Species: Saccharomyces cerevisiae
Concentration: 0-5.0 ul/plate
Method: OECD Test Guideline 480
- : Test Type: In Vitro mammalian Cell Gene Mutation Test
Species: Mouse Lymphoma
Concentration: 500 to 10 ug/ml
Result: negative
- : Test Type: Ames test
Species: Salmonella typhimurium
Concentration: 6.7-5000 ug/plate
Method: OECD Test Guideline 471
Result: negative
GLP: yes
- Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Cell type: Somatic Cells
Application Route: Injection
Dose: 37.5, 75 and 150 mg/kg bw
GLP: yes
- Germ cell mutagenicity - Assessment : Not mutagenic in Ames Test

Carcinogenicity

Product:

- Carcinogenicity - Assessment : Carcinogenic Category 3

Components:

propargite:

Species: Rat, (male and female)

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

Application Route: Oral
Exposure time: 18 month(s)
Dose: 5,15,45 mg/kg/day
NOAEL: > 5 mg/kg/day

Species: Rat, (male and female)
Application Route: Oral
Exposure time: 104 weeks
Dose: 2.12,3.46,17.4,35.4 mg/kg/day
NOAEL: 80 ppm

Method: OECD 453
Target Organs: Testes, Blood
GLP: yes

Species: Rat, (male)
Application Route: Oral
Exposure time: 104 weeks
Dose: 0,36.6 mg/kg/day
Target Organs: Testes, Blood
GLP: yes

Species: Mouse, (male and female)
Application Route: Oral
Exposure time: 12 month(s)
Dose: 0,50,160,500,1000 ppm
NOAEL: 500 ppm

Target Organs: spleen

Species: Rat, (male and female)
Application Route: Oral
Exposure time: 1 weeks
Dose: 900 ppm
GLP: yes

Species: Rat, (male and female)
Exposure time: 1 weeks
Dose: 400 ppm
NOAEL: < 400 ppm

GLP: yes

Species: Rat, (male and female)
Application Route: Oral
Exposure time: 1
Dose: 6.5,45.6 mg/kg bw/d
Target Organs: spleen
GLP: yes

Species: Rat, (male and female)
Application Route: Oral
Exposure time: 20 month(s)

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

Dose: 5.08,25.2,51.3 mg/kg/day
NOAEL: 3.73 mg/kg/day

GLP: yes

Carcinogenicity - Assessment : Suspected of causing cancer.

Reproductive toxicity

Product:

Reproductive toxicity - Assessment : Not classified due to lack of data.

Components:

propargite:

Effects on fertility

: Species: Rat, male and female
General Toxicity - Parent: 5.7
General Toxicity F1: 5.7
Method: OECD Test Guideline 416
GLP: yes

Effects on foetal development

: Species: Rat, female
Application Route: Oral
Dose: 0,6,12,18,25,105 milligram per kilogram
General Toxicity Maternal: 18
Teratogenicity: 105
Method: OECD Test Guideline 414

Species: Rabbit, females
Application Route: Oral
Dose: 0,2,4,6,8,10 milligram per kilogram
General Toxicity Maternal: 4
Teratogenicity: 6
Developmental Toxicity: 6
Method: OECD Test Guideline 414

Species: Rat, females
Application Route: Oral
Dose: 0,6,25,105 milligram per kilogram

Species: Rabbit, female
Application Route: Oral
Dose: 0,2,6,10,18
General Toxicity Maternal: 4
Teratogenicity: 18

Reproductive toxicity - Assessment : Not classified due to data which are conclusive although insufficient for classification.

Repeated dose toxicity

Components:

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

propargite:

Species: Rat, male and female
NOAEL: > 7.1 mg/kg
Application Route: Oral
Exposure time: 13 weeks
Dose: 100, 1000, and 2000 ppm
Method: OECD Test Guideline 408
GLP: yes

Species: Dog, male and female
Application Route: Oral
Exposure time: 13 weeks
Dose: 2000 ppm and 2500 ppm
Target Organs: Adrenal gland, Heart, Kidney, Liver, Testes

Species: Dog, male and female
NOAEL: > 5.0 mg/kg
LOAEL: 5.0 mg/kg
Application Route: Oral
Dose: 160-2500 ppm
Method: OECD Test Guideline 452
GLP: yes
Target Organs: Blood

Species: Dog, male and female
Application Route: Oral
Exposure time: 730 days
Dose: 100,300, 900 ppm
Target Organs: Blood

Species: Rabbit, male and female
NOAEL: > 100 mg/kg
Application Route: Dermal
Exposure time: 21 - Days
Dose: 0.1, 1.0, 10, 100 mg/kg
Method: OECD Test Guideline 410
GLP: yes
Target Organs: Kidney, Liver, Testes

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Fish): 0.109 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 0.24 mg/l
Exposure time: 48 h

Components:

propargite:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.081 mg/l
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.06 mg/l
Exposure time: 96 h

LC50 (Salmo gairdneri): 0.118 mg/l
Exposure time: 96 h

LC50 (Fish): 0.04 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.014 mg/l
Exposure time: 48 h

EC50 (Crangon crangon (shrimp)): 0.101 mg/l
Exposure time: 48 h

Toxicity to algae : IC50 (Pseudokirchneriella subcapitata (green algae)): > 1.08 mg/l
Exposure time: 96 h

ethane-1,2-diol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 72,860 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (algae)): 6,500 - 13,000 mg/l
Exposure time: 96 h

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

ethane-1,2-diol:

Partition coefficient: n- : log Pow: -1.3

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

octanol/water

Mobility in soil

Product:

Mobility : Remarks: No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.
Dispose of wastes in an approved waste disposal facility.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (propargite)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., Environmentally hazardous substance, liquid, n.o.s. (propargite)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (propargite)
Class : 9
Packing group : III

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 400000000975 Country: AU
Language: EN

Labels : 9
EmS Code : F-A, S-F
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(propargite)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 3Z
Remarks : SP No. AU01 Environmentally Hazardous Substances meet-
ing the descriptions of UN 3077 or UN 3082 are not subject to
this Code when transported by road or rail in;
(a) packagings that do not incorporate a receptacle exceeding
500 kg(L); or
(b) IBCs.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6
Scheduling of Medicines and
Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition or
notification/licensing requirements,
including for carcinogens under
Commonwealth, State or Territory
legislation.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - Interna-

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version 1.10 Revision Date: 27.05.2016 MSDS Number: 40000000975 Country: AU
Language: EN

tional Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TDG - Transportation of Dangerous Goods; UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN

Carechem24 International Worldwide Coverage

Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347

SAFETY DATA SHEET

OMITE® 570 EW LIQUID MITICIDE



Version
1.10

Revision Date:
27.05.2016

MSDS Number:
400000000975

Country: AU
Language: EN

	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670